The Fairbanks Company
202 Division Street • P.O. Box 1871 • Rome, GA 30162
Toll Free: 800-831-0022 • **Fax:** 800-576-2239
Email: info@fairbankscasters.com • **Web Address:** www.fairbankcaster.com

Steel Bound

Capacity up to 4,000 lbs.
Built for strength and mobility for uniformly distributed loads up to 4,000 lbs.
Hardwood deck boards are bolted to steel frame. Platform boards are square jointed and varnished. Semi-steel corner bumpers are located at front end. Bolted construction absorbs shocks. Load wheels are mounted to platform with strong semi-steel axle boxes. Standard wheels for all trucks are rubber mold-on (RT). Consult factory for other wheel options, such as High Capacity (HC) Mold-On Rubber or Polyurethane (PO) Wheel. Optional handles available.

Features
• Hardwood deck boards are bolted to steel frame.
• Platform boards are square jointed and varnished.
• Semi-steel corner bumpers.
• Bolted construction absorbs shocks.

Item #	Deck Size	Deck Height	Load Capacity	Weight
LQ-2448-RT	24x48	9 1/2	2000 lbs	110
MQ-2448-RT	24x48	14	2800 lbs	154
HQ-2448-RT	24x48	18	4000 lbs	233
LQ-2748-RT	27x48	9 1/2	2000 lbs	117
MQ-2748-RT	27x48	14	2800 lbs	158
HQ-2748-RT	27x48	18	4000 lbs	237
LQ-2754-RT	27x54	9 1/2	2000 lbs	121
MQ-2754-RT	27x54	14	2800 lbs	168
HQ-2754-RT	27x54	18	4000 lbs	240
LQ-3048-RT	30x48	9 1/2	2000 lbs	119
MQ-3048-RT	30x48	14	2800 lbs	166
HQ-3048 RT	30x48		4000 lbs	256
LQ-3060-RT	30x60	9 1/2	2000 lbs	148
MQ-3060-RT	30x60	14	2800 lbs	192
HQ-3060-RT	30x60	18	4000 lbs	272
LQ-3660-RT	36x60	9 1/2	2000 lbs	162
MQ-3660-RT	36x60	14	2800 lbs	205

HQ-3660-RT	36x60	18	4000 lbs	282
LQ-3672-RT	36x72	9 1/2	2000 lbs	180
MQ-3672-RT	36x72	14	2800 lbs	233
HQ-3672-RT	36x72	18	4000 lbs	306